

DAFTAR PUSTAKA

- Afolayan, M. O., Okoroji, J. C., & Agbo, A. (2017). Experimenting With Solid Cone Nosel for Dish Washing Operations. *Arid Zone Journal of Engineering, Technology and Environment*, 13(4), 458–466.
https://www.academia.edu/35114485/EXPERIMENTING_WITH_SOLID_CONE_NOSEL_FOR_DISH_WASHING_OPERATIONS
- Irma, S., & Dharma, A. (2021). PERBEDAAN PENGGUNAAN NOSEL POLIJET DAN FLAT FAN PADA KALIBRASI PENYEMPROTAN KNAPSACK SPRAYER. *Jurnal Pertanian Presisi*, 5, 1–12.
<https://doi.org/10.31857/s013116462104007x>
- Křištof, O., Bulejko, P., & Svěrák, T. (2019). *Experimental Study on Spray Breakup in Turbulent Atomization Using a Spiral Nosel*. 7.
<https://doi.org/10.3390/pr7120911>
- Little Becky. (2024). *Siapa Penemu Mesin Pencuci Piring? HISTORY*.
<https://www.history.com/news/dishwasher-inventor-josephine-garis-cochran>
- Permana, P. B. (2009). 1. Bab I Pendahuluan 1.1 [Universitas Komputer Indonesia].
In *Universitas Ilmu Komputer* (Issue 2005).
<http://elibrary.unikom.ac.id/id/eprint/5277>
- Prasetio, S., & Dwiyantoro, B. A. (2024). The Effect of Changing the Nosel Arrangement in the Vacuum Dryer on Decreasing the Moisture Content of Crude Palm Oil (CPO). *E3S Web of Conferences*, 576, 1–11.
<https://doi.org/10.1051/e3sconf/202457604008>
- Sugiyono, D. (2010). Metode penelitian kuantitatif kualitatif dan R&D. In *Penerbit Alfabeta* (Issue January).

https://www.researchgate.net/publication/377469385_METODE_PENELITI
AN_KUANTITATIF_KUALITATIF_DAN_RD

Sumner, P. E. (2012). *Sprayer Nosel Selection*. 6.

http://www.caes.uga.edu/applications/publications/files/pdf/B_1158_3.PDF

Tamimi, F., & Munawaroh, S. (2024). *Teknologi Sebagai Kegiatan Manusia Dalam Era Modern Kehidupan Masyarakat*. 2(3), 66–74.

<https://doi.org/10.61132/saturnus.v2i3.157>

Upadhyay, A., Chandel, N. S., & Chakraborty, S. K. (2024). *Study on Discharge Dynamics and Droplet Characteristics of Various Nosel Journal of Agricultural Engineering (India) Study on Discharge Dynamics and Droplet Characteristics of Various Nosel Types for Pesticide Application. December.*

<https://doi.org/10.52151/jae2024616.1883>

Wae-Hayee, M., Tekasakul, P., & Nuntadusit, C. (2013). Influence of nosel arrangement on flow and heat transfer characteristics of arrays of circular impinging jets. *Songklanakarin Journal of Science and Technology*, 35(2), 203–212.

https://www.researchgate.net/publication/285211859_Influence_of_nosel_arrangement_on_flow_and_heat_transfer_characteristics_of_arrays_of_circular_impinging_jets

Whisnumurti, A. P. (2021). *ANALISA PENGARUH PENAMBAHAN JUMLAH NOSEL SPRAY PADA DIRECT CONTACT CONDENSOR PLTP PT. X TERHADAP EFEKTIVITAS CONDENSOR* [Politeknik Negeri Jakarta].

<https://repository.pnj.ac.id/id/eprint/2255>

Zainnuri, S. T. (2018). *ALAT PENCUCI PIRING OTOMATIS Berbasis Arduino*

ALAT PENCUCI PIRING OTOMATIS Berbasis Arduino. *Karya Ilmiah Teknik Elektro*, 6(1), 1–11. <https://eprints.uty.ac.id/2376/>

Zikri, A. (2022). *Analisa Pengaruh Jarak Semprot Nosel Dan Variasi Buka-an Katup Pengatur Debit Air Terhadap Unjuk Kerja Turbin Pelton*. <https://repository.uir.ac.id/10996/1/163310294.pdf>